

**A. Introduction**

- 1. Title:** Cyber Security — Systems Security Management
- 2. Number:** CIP-007-2a
- 3. Purpose:** Standard CIP-007-2 requires Responsible Entities to define methods, processes, and procedures for securing those systems determined to be Critical Cyber Assets, as well as the other (non-critical) Cyber Assets within the Electronic Security Perimeter(s). Standard CIP-007-2 should be read as part of a group of standards numbered Standards CIP-002-2 through CIP-009-2.
- 4. Applicability:**
  - 4.1.** Within the text of Standard CIP-007-2, “Responsible Entity” shall mean:
    - 4.1.1** Reliability Coordinator.
    - 4.1.2** Balancing Authority.
    - 4.1.3** Interchange Authority.
    - 4.1.4** Transmission Service Provider.
    - 4.1.5** Transmission Owner.
    - 4.1.6** Transmission Operator.
    - 4.1.7** Generator Owner.
    - 4.1.8** Generator Operator.
    - 4.1.9** Load Serving Entity.
    - 4.1.10** NERC.
    - 4.1.11** Regional Entity.
  - 4.2.** The following are exempt from Standard CIP-007-2:
    - 4.2.1** Facilities regulated by the U.S. Nuclear Regulatory Commission or the Canadian Nuclear Safety Commission.
    - 4.2.2** Cyber Assets associated with communication networks and data communication links between discrete Electronic Security Perimeters.
    - 4.2.3** Responsible Entities that, in compliance with Standard CIP-002-2, identify that they have no Critical Cyber Assets.
- 5. Effective Date:** April 1, 2010

**B. Requirements**

- R1.** Test Procedures — The Responsible Entity shall ensure that new Cyber Assets and significant changes to existing Cyber Assets within the Electronic Security Perimeter do not adversely affect existing cyber security controls. For purposes of Standard CIP-007-2, a significant change shall, at a minimum, include implementation of security patches, cumulative service packs, vendor releases, and version upgrades of operating systems, applications, database platforms, or other third-party software or firmware.
  - R1.1.** The Responsible Entity shall create, implement, and maintain cyber security test procedures in a manner that minimizes adverse effects on the production system or its operation.

- R1.2.** The Responsible Entity shall document that testing is performed in a manner that reflects the production environment.
  - R1.3.** The Responsible Entity shall document test results.
- R2.** Ports and Services — The Responsible Entity shall establish, document and implement a process to ensure that only those ports and services required for normal and emergency operations are enabled.
  - R2.1.** The Responsible Entity shall enable only those ports and services required for normal and emergency operations.
  - R2.2.** The Responsible Entity shall disable other ports and services, including those used for testing purposes, prior to production use of all Cyber Assets inside the Electronic Security Perimeter(s).
  - R2.3.** In the case where unused ports and services cannot be disabled due to technical limitations, the Responsible Entity shall document compensating measure(s) applied to mitigate risk exposure.
- R3.** Security Patch Management — The Responsible Entity, either separately or as a component of the documented configuration management process specified in CIP-003-2 Requirement R6, shall establish, document and implement a security patch management program for tracking, evaluating, testing, and installing applicable cyber security software patches for all Cyber Assets within the Electronic Security Perimeter(s).
  - R3.1.** The Responsible Entity shall document the assessment of security patches and security upgrades for applicability within thirty calendar days of availability of the patches or upgrades.
  - R3.2.** The Responsible Entity shall document the implementation of security patches. In any case where the patch is not installed, the Responsible Entity shall document compensating measure(s) applied to mitigate risk exposure.
- R4.** Malicious Software Prevention — The Responsible Entity shall use anti-virus software and other malicious software (“malware”) prevention tools, where technically feasible, to detect, prevent, deter, and mitigate the introduction, exposure, and propagation of malware on all Cyber Assets within the Electronic Security Perimeter(s).
  - R4.1.** The Responsible Entity shall document and implement anti-virus and malware prevention tools. In the case where anti-virus software and malware prevention tools are not installed, the Responsible Entity shall document compensating measure(s) applied to mitigate risk exposure.
  - R4.2.** The Responsible Entity shall document and implement a process for the update of anti-virus and malware prevention “signatures.” The process must address testing and installing the signatures.
- R5.** Account Management — The Responsible Entity shall establish, implement, and document technical and procedural controls that enforce access authentication of, and accountability for, all user activity, and that minimize the risk of unauthorized system access.
  - R5.1.** The Responsible Entity shall ensure that individual and shared system accounts and authorized access permissions are consistent with the concept of “need to know” with respect to work functions performed.
    - R5.1.1.** The Responsible Entity shall ensure that user accounts are implemented as approved by designated personnel. Refer to Standard CIP-003-2 Requirement R5.



- R7.1.** Prior to the disposal of such assets, the Responsible Entity shall destroy or erase the data storage media to prevent unauthorized retrieval of sensitive cyber security or reliability data.
- R7.2.** Prior to redeployment of such assets, the Responsible Entity shall, at a minimum, erase the data storage media to prevent unauthorized retrieval of sensitive cyber security or reliability data.
- R7.3.** The Responsible Entity shall maintain records that such assets were disposed of or redeployed in accordance with documented procedures.
- R8.** Cyber Vulnerability Assessment — The Responsible Entity shall perform a cyber vulnerability assessment of all Cyber Assets within the Electronic Security Perimeter at least annually. The vulnerability assessment shall include, at a minimum, the following:
  - R8.1.** A document identifying the vulnerability assessment process;
  - R8.2.** A review to verify that only ports and services required for operation of the Cyber Assets within the Electronic Security Perimeter are enabled;
  - R8.3.** A review of controls for default accounts; and,
  - R8.4.** Documentation of the results of the assessment, the action plan to remediate or mitigate vulnerabilities identified in the assessment, and the execution status of that action plan.
- R9.** Documentation Review and Maintenance — The Responsible Entity shall review and update the documentation specified in Standard CIP-007-2 at least annually. Changes resulting from modifications to the systems or controls shall be documented within thirty calendar days of the change being completed.

#### **C. Measures**

- M1.** The Responsible Entity shall make available documentation of its security test procedures as specified in Requirement R1.
- M2.** The Responsible Entity shall make available documentation as specified in Requirement R2.
- M3.** The Responsible Entity shall make available documentation and records of its security patch management program, as specified in Requirement R3.
- M4.** The Responsible Entity shall make available documentation and records of its malicious software prevention program as specified in Requirement R4.
- M5.** The Responsible Entity shall make available documentation and records of its account management program as specified in Requirement R5.
- M6.** The Responsible Entity shall make available documentation and records of its security status monitoring program as specified in Requirement R6.
- M7.** The Responsible Entity shall make available documentation and records of its program for the disposal or redeployment of Cyber Assets as specified in Requirement R7.
- M8.** The Responsible Entity shall make available documentation and records of its annual vulnerability assessment of all Cyber Assets within the Electronic Security Perimeters(s) as specified in Requirement R8.
- M9.** The Responsible Entity shall make available documentation and records demonstrating the review and update as specified in Requirement R9.

#### **D. Compliance**

**1. Compliance Monitoring Process**

**1.1. Compliance Enforcement Authority**

- 1.1.1 Regional Entity for Responsible Entities that do not perform delegated tasks for their Regional Entity.
- 1.1.2 ERO for Regional Entity.
- 1.1.3 Third-party monitor without vested interest in the outcome for NERC.

**1.2. Compliance Monitoring Period and Reset Time Frame**

Not applicable.

**1.3. Compliance Monitoring and Enforcement Processes**

- Compliance Audits
- Self-Certifications
- Spot Checking
- Compliance Violation Investigations
- Self-Reporting
- Complaints

**1.4. Data Retention**

- 1.4.1 The Responsible Entity shall keep all documentation and records from the previous full calendar year unless directed by its Compliance Enforcement Authority to retain specific evidence for a longer period of time as part of an investigation.
- 1.4.2 The Responsible Entity shall retain security-related system event logs for ninety calendar days, unless longer retention is required pursuant to Standard CIP-008-2 Requirement R2.
- 1.4.3 The Compliance Enforcement Authority in conjunction with the Registered Entity shall keep the last audit records and all requested and submitted subsequent audit records.

**1.5. Additional Compliance Information.**

**2. Violation Severity Levels (To be developed later.)**

**E. Regional Variances**

None identified.

**Version History**

Version	Date	Action	Change Tracking
2		Modifications to clarify the requirements and to bring the compliance elements into conformance with the latest guidelines for developing compliance elements of standards. Removal of reasonable business judgment and acceptance of risk. Revised the Purpose of this standard to clarify that Standard CIP-007-2 requires Responsible Entities to define methods,	

**Standard CIP-007-2a — Cyber Security — Systems Security Management**

---

		<p>processes, and procedures for securing Cyber Assets and other (non-Critical) Assets within an Electronic Security Perimeter.</p> <p>Replaced the RRO with the RE as a responsible entity.</p> <p>Rewording of Effective Date.</p> <p>R9 changed ninety (90) days to thirty (30) days</p> <p>Changed compliance monitor to Compliance Enforcement Authority.</p>	
2	05/06/09	Adopted by NERC Board of Trustees	Revised
2a	11/05/09	Added Appendix 2 — Interpretation of R2 approved by BOT on November 5, 2009	Interpretation
2a	03/18/10	Interpretation of CIP-007-1 Requirement R2 — FERC Approved, per footnote 11 of Order — to be appended to CIP-007-2, Effective Date April 1, 2010	Interpretation

## Appendix 1

<b>Requirement Number and Text of Requirement</b>
R2. The Responsible Entity shall establish and document a process to ensure that only those ports and services required for normal and emergency operations are enabled.
<b>Question</b>
Does the term "port" mean a physical (hardware) or a logical (software) connection to a computer?
<b>Response</b>
The drafting team interprets the term “ports” used as part of the phrase “ports and services” to refer to logical ports, e.g., Transmission Control Protocol (TCP) ports, where interface with communication services occurs.