Standard Development Timeline

This section is maintained by the drafting team during the development of the standard and will be removed when the standard becomes effective.

Development Steps Completed

- 1. SC authorized moving the SAR forward to standard development to implement recommendations of Five-year review of NUC-001-2 October 17, 2013.
- 2. SAR posted for informal comment February 12-March 13[,] 2014.
- 3. NUC-001-3 for 45 day Comment Period and Iinitial Bballot April 8 May 22, 2014.

Description of Current Draft

(Describe Draft 1 of NUC-001-3 implements recommendations from the NUC-001-2.1 type of action associated with this posting such as 30-day informal comment period, 30 Ffive-Yyear Rreview Team (NUC FYRT) of NUC-001-2. The FYRT's These-recommendations of the FYR team-wereas accepted by the Standards Committee in October 2013. This draft is being posted for a 45-day formal comment period, 45 day formal comment period with parallel and initial ballot, 30-day formal comment period with parallel successive ballot, recirculation ballot).

Anticipated Actions	Anticipated Date
45-day Formal Comment Period with Parallel Initial Ballot	April 8, 2014
Recirculation ballot	<u>June 2014</u>
BOT adoption	<u>August 2014</u>

Draft 1: March 18 April 8, 2014 Page 1 of 17

Effective Dates: April 1, 2010 Effective Dates: First day of the first calendar quarter that is twelve months beyond the date that this standard is approved by applicable regulatory authorities or as otherwise provided for in a jurisdiction where approval by an applicable governmental authority is required for a standard to go into effect. Where approval by an applicable governmental authority is not required, the standard shall become effective on the first day of the first calendar quarter that is twelvesix months after the date this standard is adopted by the NERC Board of Trustees or as otherwise provided for in that jurisdiction.

Version History

Version	Date	Action	Change Tracking
1	May 2, 2007	Approved by Board of Trustees	New
2	To be determined	Modifications for Order 716 to Requirement R9.3.5 and footnote 1; modifications to bring compliance elements into conformance with the latest version of the ERO Rules of Procedure.	Revision
2	August 5, 2009	Adopted by Board of Trustees	Revised
2	January 22, 2010	Approved by FERC on January 21, 2010 Added Effective Date	Update
2	February 7, 2013	R9.1, R9.1.1, R9.1.2, R9.1.3, and R9.1.4 and associated elements approved by NERC Board of Trustees for retirement as part of the Paragraph 81 project (Project 2013-02) pending applicable regulatory approval.	
2.1	2.1 April 11, 2012 Errata approved by the Standards Committee; (Capitalized "Protection System" in accordance with Implementation Plan for Project 2007-17 approval of revised definition of "Protection System")		Errata associated with Project 2007-17
<u>3</u>	March, 2014	Modifications to implement the recommendations of the five-year review of NUC-001, which was accepted by the Standards Committee on October 17, 2013.	Revision

Draft 1: March 18 April 8, 2014

Definitions of Terms Used in Standard

This section includes all newly defined or revised terms used in the proposed standard. Terms already defined in the Reliability Standards Glossary of Terms are not repeated here. New or revised definitions listed below become approved when the proposed standard is approved. When the standard becomes effective, these defined terms will be removed from the individual standard and added to the Glossary.

Term: definition.

None

Draft 1: March 18 April 8, 2014 Page 3 of 17

When this standard has received ballot approval, the text boxes will be moved to the Application Guidelines Section of the Standard.

A. Introduction

- 1. Title: Nuclear Plant Interface Coordination
- 2. Number: NUC-001-2.13
- **3. Purpose:** This standard requires coordination between Nuclear Plant Generator Operators and Transmission Entities for the purpose of ensuring nuclear plant safe operation and shutdown.
- 4. Applicability:
 - 4.1. Functional Entities:
 - **4.1.1** Nuclear Plant Generator Operators.
 - **4.2.** Transmission Entities shall mean all entities that are responsible for providing services related to Nuclear Plant Interface Requirements (NPIRs). Such entities may include one or more of the following:
 - **4.2.1** Transmission Operators.
 - **4.2.2** Transmission Owners.
 - **4.2.3** Transmission Planners.
 - **4.2.4** Transmission Service Providers.
 - **4.2.5** Balancing Authorities.
 - **4.2.6** Reliability Coordinators.
 - **4.2.7** Planning Coordinators.
 - **4.2.8** Distribution Providers.
 - **4.2.9** Load-serving Entities.
 - **4.2.10** Generator Owners.
 - **4.2.11** Generator Operators.

Draft 1: March 18 April 8, 2014 Page 4 of 17

5. Background:

Project 2012-13 Nuclear Power Interface Coordination seeks to implement the changes that were proposed by the NUC FYRT-001 2.1 Five Year Review Team. -The NUC Five Year Review Team (FYRT) was appointed by the Standards Committee Executive Committee on April 22, 2013. The NUC FYRT reviewed the NUC-001-2.1 standard to identify opportunities for consolidation and additional improvements. The NUC FYRT posted its recommendation to revise NUC-001-2.1 for industry comment on July 27, 2013for industry comment its recommendation to revise NUC 001-2.1 on July 27, 2013. The NUC FYRT considered comments and submitted its final recommendation to revise NUC-001-2.1, along with a Standards Authorization Request (SAR) to the Standards Committee on October 17, 2013 its final recommendation to revise NUC 001-2.1, along with a Standards Authorization Request (SAR) on October 17, 2013. The Standards Committee accepted the recommendation of the FYRT and appointed the team as the Standard Drafting Team (SDT) to implement the recommendation.

B. Requirements and Measures

- **R1.** The Nuclear Plant Generator Operator shall provide the proposed NPIRs in writing to the applicable Transmission Entities and shall verify receipt. [Violation Risk Factor: LowerMedium] [Time Horizon: _-Long-term Planning]
- **M1.** The Nuclear Plant Generator Operator shall, upon request of the Compliance Enforcement Authority, provide a copy of the transmittal and receipt of transmittal of the proposed NPIRs to the responsible Transmission Entities.
- **R2.** The Nuclear Plant Generator Operator and the applicable Transmission Entities shall have in effect one or more Agreements¹ that include mutually agreed to NPIRs and document how the Nuclear Plant Generator Operator and the applicable Transmission Entities shall address and implement these NPIRs. [Violation Risk Factor: Medium] [Time Horizon:] Long-term Planning]
- M2. The Nuclear Plant Generator Operator and each Transmission Entity shall each have a copy of the Agreement(s) addressing <u>and implementing</u> the <u>elements in Requirement 9NPIRs</u> available for inspection upon request of the Compliance Enforcement Authority.
- **R3.** Per the Agreements developed in accordance with this standard, the applicable Transmission Entities shall incorporate the NPIRs into their planning analyses of the electric system and shall communicate the results of these analyses to the Nuclear Plant Generator Operator.: [Violation Risk Factor: Medium] [Time Horizon: \$\frac{1}{Long-term}\$ Planning]

¹. Agreements may include mutually agreed upon procedures or protocols in effect between entities or between departments of a vertically integrated system.

- M3. Each Transmission Entity responsible for planning analyses in accordance with the Agreement shall, upon request of the Compliance Enforcement Authority, provide a copy of the planning analyses results transmitted to the Nuclear Plant Generator Operator, showing incorporation of the NPIRs. The Compliance Enforcement Authority shall refer to the Agreements developed in accordance with this standard for specific requirements.
- **R4.** Per the Agreements developed in accordance with this standard, the applicable Transmission Entities shall [Violation Risk Factor: High] [Time Horizon: Operations Planning and Real-time Operations]
 - **4.1.** Incorporate the NPIRs into their operating analyses of the electric system.
 - **4.2.** Operate the electric system to meet the NPIRs.
 - **4.3.** Inform the Nuclear Plant Generator Operator when the ability to assess the operation of the electric system affecting NPIRs is lost.
- **M4.** Each Transmission Entity responsible for operating the electric system in accordance with the Agreement shall demonstrate or provide evidence of the following, upon request of the Compliance Enforcement Authority:
 - **M4.1** The NPIRs have been incorporated into the current operating analysis of the electric system. (Requirement 4.1)
 - **M4.2** The electric system was operated to meet the NPIRs. (Requirement 4.2)
 - **M4.3** The Transmission Entity informed the Nuclear Plant Generator Operator when it became aware it lost the capability to assess the operation of the electric system affecting the NPIRs
- R5. The Nuclear Plant Generator Operator shall operate perPer the Agreements developed in accordance with this standard, the Nuclear Plant Generator Operator shall operate the nuclear plant to meet the NPIRs. [Violation Risk Factor: High] [Time Horizon: †Operations Planning]
- M5. The Nuclear Plant Generator Operator shall, upon request of the Compliance Enforcement Authority, demonstrate or provide evidence that the Nuclear Power Plant is being operated consistent with the NPIRs. as per the Agreements developed in accordance with this
- **R6.** Per the Agreements developed in accordance with this standard, the applicable Transmission Entities and the Nuclear Plant Generator Operator shall coordinate outages and maintenance activities which affect the NPIRs. [Violation Risk Factor: Medium] [Time Horizon: Operations Planning]

Rationale for R5: Rationale for R5: The FYRT recommended R5 be revised for consistency with R4 and to clarify that nuclear plants must be operated to meet the Nuclear Plant Interface Requirements.

standard.

- **M6.** The Transmission Entities and Nuclear Plant Generator Operator shall, upon request of the Compliance Enforcement Authority, provide evidence of the coordination between the Transmission Entities and the Nuclear Plant Generator Operator regarding outages and maintenance activities which affect the NPIRs.
- **R7.** Per the Agreements developed in accordance with this standard, the Nuclear Plant Generator Operator shall inform the applicable Transmission Entities of actual or proposed changes to nuclear plant design; (e.g., protective relay setpoints), configuration, operations, limits, Protection Systems, or capabilities that may impact the ability of the electric system to meet the NPIRs. [Violation Risk Factor: High] [Time Horizon: Long-term Planning]
- M7. The Nuclear Plant Generator Operator shall provide evidence that it informed the applicable Transmission Entities of changes to nuclear plant design, (e.g., protective relay setpoints), configuration, operations, limits, Protection Systems, or capabilities that would impact the ability of the Transmission Entities to meet the NPIRs.

Rationale for R7 and R8: The FYRT recommended deleting "Protection Systems" in Requirements R7 and R8 since it is a subset of the "nuclear plant design" and "electric system design" elements currently contained in R7 and R8 respectively; and adding a parenthetical clause (e.g. protective setpoints) to R7 following "nuclear plant design" and parenthetical clause (e.g. relay setpoints) to R8 following "electric system design."

- **R8.** Per the Agreements developed in accordance with this standard, the applicable Transmission Entities shall inform the Nuclear Plant Generator Operator of actual or proposed changes to electric system design; (e.g., protective relay setpoints), configuration, operations, limits, Protection Systems, or capabilities that may impact the ability of the electric system to meet the NPIRs. [Violation Risk Factor: High] [Time Horizon: Long-term Planning]
- **M8.** The Transmission Entities shall each provide evidence that it informed the Nuclear Plant Generator Operator of changes to electric system design, (e.g., protective relay setpoints), configuration, operations, limits, Protection Systems, or capabilities that would impact the ability of the Nuclear Plant Generator Operator to meet the NPIRs.

Draft 1: March 18 April 8, 2014 Page 7 of 17

- R9. The Nuclear Plant Generator Operator and the applicable Transmission Entities shall include, as a minimum, the following elements in aggregate within the aAgreement(s) identified in R2.
 - Where multiple Agreements with a single
 Transmission Entity are put into effect, the R9 elements must be addressed in aggregate within the Agreements; however, each Agreement does not have to contain each element. The Nuclear Plant Generator Operator and the Transmission Entity are responsible for ensuring all the R9 elements are addressed in aggregate within the Agreements.
 - Where Agreements with multiple Transmission
 Entities are required, the Nuclear Plant Generator

 Operator is responsible for ensuring all the R9 elements are addressed in aggregate within the Agreements with the Transmission Entities. The Agreements with each Transmission Entity do not have to contain each element; however, the Agreements with the multiple Transmission Entities, in the aggregate, must address all R9 elements. For each Agreement(s), the Nuclear Plant Generator Operator and the Transmission Entity are responsible to ensure the Agreement(s) contain(s) the elements of R9 applicable to that Transmission Entity.: [Violation Risk Factor: Medium] [Time Horizon: Long-term Planning]
 - **8.1.** Retired Administrative elements:
 - **8.1.1.** Definitions of key terms used in the agreement.
 - **8.1.2.** Names of the responsible entities, organizational relationships, and responsibilities related to the NPIRs.
 - 8.2.9.1. A requirement to review the agreement(s) at least every three years. A dispute resolution mechanism. [Note: Part 9.1 was retired under the Paragraph 81 project. The NUC SDT proposes to leave this Part blank to avoid renumbering Requirement parts that would impact existing agreements throughout the industry.]
 - **8.3.9.2.** Technical requirements and analysis:
 - **8.3.1.9.2.1.** Identification of parameters, limits, configurations, and operating scenarios included in the NPIRs and, as applicable, procedures for providing any specific data not provided within the Agreement.
 - **8.3.2.9.2.2.** Identification of facilities, components, and configuration restrictions that are essential for meeting the NPIRs.
 - **8.3.3.9.2.3.** Types of planning and operational analyses performed specifically to support the NPIRs, including the frequency of studies and types of Contingencies and scenarios required.
 - **8.4.9.3.** Operations and maintenance coordination

Rationale for R9: The FYRT

recommended that R9 be revised

to clarify that all agreements do

not have to discuss each of the elements in R9, but that the sum

total of the agreements need to

In addition, for clarity in Part

that "affecting the NPIRs" be

for communications" and

inserted following "Provisions

"applicable unique" be inserted

9.4.1, the FYRT recommended

address the elements.

- **8.4.1.9.3.1.** Designation of ownership of electrical facilities at the interface between the electric system and the nuclear plant and responsibilities for operational control coordination and maintenance of these facilities.
- **8.4.2.9.3.2.** Identification of any maintenance requirements for equipment not owned or controlled by the Nuclear Plant Generator Operator that are necessary to meet the NPIRs.
- **8.4.3.9.3.3.** Coordination of testing, calibration and maintenance of on-site and off-site power supply systems and related components.
- **8.4.4.9.3.4.** Provisions to address mitigating actions needed to avoid violating NPIRs and to address periods when responsible Transmission Entity loses the ability to assess the capability of the electric system to meet the NPIRs. These provisions shall include responsibility to notify the Nuclear Plant Generator Operator within a specified time frame.
- **8.4.5.9.3.5.** Provision for considering, within the restoration process, the requirements and urgency of a nuclear plant that has lost all off-site and on-site AC power.
- **8.4.6.9.3.6.** Coordination of physical and cyber security protection of the Bulk Electric System at the nuclear plant interface to ensure each asset is covered under at least one entity's plan.
- **8.4.7.** Coordination of the NPIRs with transmission system Special Protection Systems and <u>any programs that reduce or shed load based on</u> underfrequency <u>andor</u> undervoltage <u>load shedding programs</u>.

- **9.3.7.**
- **8.5.9.4.** Communications and training Administrative elements:
 - **8.5.1.9.4.1.** Provisions for communications <u>affecting the NPIRs</u> between the Nuclear Plant Generator Operator and Transmission Entities, including communications protocols, notification time requirements, and definitions of <u>applicable unique</u> terms.
 - **8.5.2.9.4.2.** Provisions for coordination during an off-normal or emergency event affecting the NPIRs, including the need to provide timely information explaining the event, an estimate of when the system will be returned to a normal state, and the actual time the system is returned to normal.
 - **8.5.3.9.4.3.** Provisions for coordinating investigations of causes of unplanned events affecting the NPIRs and developing solutions to minimize future risk of such events.
 - **8.5.4.9.4.4.** Provisions for supplying information necessary to report to government agencies, as related to NPIRs.
 - **8.5.5. 9.4.5.** Provisions for personnel training, as related to NPIRs.

M9. The Nuclear Plant Generator Operator and each Transmission Entity shall each have a copy of the Agreement(s) addressing the elements in Requirement 9 available for inspection upon request of the Compliance Enforcement Authority. <u>Each Transmission Entity shall have a copy of the Agreement(s) addressing the elements in Requirement 9 for which it is responsible available for inspection upon request of the Compliance Enforcement Authority.</u>

C. Compliance

1. Compliance Monitoring Process

1.1. Compliance Enforcement Authority

Regional Entity

1.2. Compliance Monitoring and Assessment Processes:

Compliance Audits

Self-Certifications

Spot Checking

Compliance Violation Investigations

Self-Reporting

Complaints Text

1.3. Data Retention

The Responsible Entity shall keep data or evidence to show compliance as identified below unless directed by its Compliance Enforcement Authority to retain specific evidence for a longer period of time as part of an investigation:

- For Measure 1, the Nuclear Plant Generator Operator shall keep its latest transmittals and receipts.
- For Measure 2, the Nuclear Plant Generator Operator and each Transmission Entity shall have its current, in-force <u>aAgreement</u>.
- For Measure 3, the Transmission Entity shall have the latest planning analysis results.
- For Measures 4.3, 6 and 8, the Transmission Entity shall keep evidence for two years plus current.
- For Measures 5, 6 and 7, the Nuclear Plant Generator Operator shall keep evidence for two years plus current.

If a Responsible Entity is found non-compliant it shall keep information related to the noncompliance until found compliant.

The Compliance Enforcement Authority shall keep the last audit records and all requested and submitted subsequent audit records.

Draft 1: March 18 April 8, 2014 Page 10 of 17

1.4. Additional Compliance Information

None

Draft 1: March 18 April 8, 2014 Page 11 of 17

Table of Compliance Elements

R #	Time Horizon	VRF	Violation Severity Levels				
	ПОПДОП		Lower VSL	Moderate VSL	High VSL	Severe VSL	
R1		<u>LowerMedium</u>	The Nuclear Plant Generator Operator provided the NPIR's to the applicable entities but did not verify receipt.	The Nuclear Plant Generator Operator did not provide the proposed NPIR to one of the applicable entities-unless there was only one entity.	The Nuclear Plant Generator Operator did not provide the proposed NPIR's to two of the applicable entities; unless there was only two entities.	The Nuclear Plant Generator Operator did not provide the proposed NPIR's to more than two of applicable entities. OR For a particular Nuclear Power Plant, if the number of possible applicable transmission entities is equal to the number of applicable transmission entities not provided NPIRs	
R2	Medium N/A N/A		N/A	N/A	The Nuclear Plant Generator Operator or the applicable Transmission Entity does not have in effect one or more agreements that include mutually agreed to NPIRs and document the implementation of the NPIRs.		
R3		Medium	N/A	The responsible entity incorporated the NPIRs into its planning analyses but did not communicate	N/A	The responsible entity did not incorporate the NPIRs into its planning analyses of the electric system.	

Draft <u>1: April 8, 2014</u> Page 12 of 17

			the results to the Nuclear Plant Generator Operator.		
R4	High	N/A	The responsible entity did not comply with sub-requirement R4.3.	The responsible entity did not comply with R4.1.	The responsible entity did not comply with R4.2.
R4.1	N/A	N/A	The responsible entity did not comply with sub-requirement R4.3.	not comply with sub not comply with R4.1.	
R4.2	N/A	N/A	The responsible entity did not comply with sub-requirement R4.3.	The responsible entity did not comply with R4.1.	The responsible entity did not comply with R4.2.
R4.3	N/A	N/A	The responsible entity did not comply with sub-requirement R4.3.	not comply with sub not comply with R4.1.	
R5	High	N/A	N/A	N/A	The Nuclear Plant Generator Operator failed to operate per the NPIRs-Agreements developed in accordance with this standard.
R6	Medium	The Nuclear Operator or Transmission Entity failed to coordinate outages or maintenance activities in accordance with one or more of the administrative elements within the agreements. N/A	The Nuclear Plant Generator Operator or Transmission Entity failed to provide outage or maintenance schedules to the appropriate parties as described in the agreement or on a time period consistent with the agreements.	The Nuclear Plant Generator Operator or Transmission Entity failed to coordinate one or more outages or maintenance activities in accordance the requirements of the agreements.	N/A
R7	High	The Nuclear Plant Generator Operator did not inform the applicable Transmission Entities of proposed	The Nuclear Plant Generator Operator did not inform the applicable Transmission Entities of actual changes to nuclear	The Nuclear Plant Generator Operator did not inform the applicable Transmission Entities of actual changes to nuclear	N/AThe Nuclear Plant Generator Operator did not inform the applicable Transmission Entities of actual changes to nuclear

Draft <u>1: April 8, 2014</u> Page 13 of 17

		changes to nuclear plant design, (e.g. protective relay setpoints), configuration, operations, limits, protection systems, or capabilities that may impact the ability of the electric system to meet the NPIRs.	plant design, configuration, operations, limits, protection systems, or capabilities that may impact the ability of the electric system to meet the NPIRs.N/A	plant design; (e.g. protective relay setpoints), configuration, operations, limits, protection systems, or capabilities that directlymay impact the ability of the electric system to meet the NPIRs.	plant design (e.g., protective relay setpoints), configuration, operations, limits or capabilities that directly impact the ability of the electric system to meet the NPIRs.
R8	Transmission Entities did not inform the Nuclear Plant Generator Operator of proposed changes to transmission system design, configuration, (e.g. protective relay setpoints), operations, limits, protection systems, or capabilities Transmission Entities Transmission Entities not in the Nuclear Plant Operator of an expension of an ex		The applicable Transmission Entities did not inform the Nuclear Plant Generator Operator of actual changes to transmission system design, configuration, operations, limits, protection systems, or capabilities that may impact the ability of the electric system to meet the NPIRs.N/A	The applicable Transmission Entities did not inform the Nuclear Plant Generator Operator of actual changes to transmission system design; (e.g. protective relay setpoints), configuration, operations, limits, protection systems, or capabilities that directly impactsmay impact the ability of the electric system to meet the NPIRs.	N/AThe applicable Transmission Entities did not inform the Nuclear Plant Generator Operator of actual changes to transmission system design (e.g. protective relay setpoints), configuration, operations, limits, or capabilities that directly impacts the ability of the electric system to meet the NPIRs.
R9	Medium	The agreement identified in R2. between the Nuclear Plant Generator Operator and the applicable Transmission Entities is missing one or more sub-components of R9.1.	The agreement(s) identified in R2. between the Nuclear Plant Generator Operator and the applicable Transmission Entityies is missing from one failed to fiveinclude up to 20% of the combined subcomponents in R9Parts 9.2, R99.3 and R99.4 applicable to that entity.	The agreement(s) identified in R2. between the Nuclear Plant Generator Operator and the applicable Transmission Entityies is missing from six failed to teninclude greater than 20%, but less than 40% of the combined subcomponents in R9Parts	The agreement(s) identified in R2. between the Nuclear Plant Generator Operator and the applicable Transmission Entityies is missing elevenfailed to include 40% or more of the combined subcomponents in R9Parts 9.2, R99.3 and R99.4 applicable to the entity.

Draft <u>1: April 8, 2014</u> Page 14 of 17

N	NUC-001- 2.1 3— Nuclear Plant Interface Coordination					
					9.2, R99.3 and R99 applicable to the e	

Draft <u>1: April 8, 2014</u> Page 15 of 17

D. Regional Variances

The design basis for Canadian (CANDU) <u>Nuclear Power Plants (NPPs)</u> does not result in the same licensing requirements as U.S. NPPs. <u>Nuclear Regulatory Commission (NRC)</u> design criteria specifies that in addition to emergency on-site electrical power, electrical power from the electric network also be provided to permit safe shutdown. <u>This requirement is specified in such NRC Regulations as 10 CFR 50 Appendix A — General Design Criterion 17 and 10 CFR 50.63 Loss of all alternating current power.</u> There are no equivalent Canadian Regulatory requirements for <u>Station Blackout (SBO) or coping times as they do not form part of electrical power from the licensing basis for CANDU NPPs electric network to be provided to permit safe shutdown.</u> Therefore the definition of <u>Nuclear Plant Licensing Requirements (NPLR)</u> for Canadian CANDU <u>units NPPs</u> will be as follows:

<u>Canadian</u> Nuclear Plant Licensing Requirements (<u>CNPLR</u>) are requirements included in the design basis of the nuclear plant and are statutorily mandated for the operation of the plant; when used in this standard, NPLR shall mean nuclear power plant licensing requirements for avoiding preventable challenges to nuclear safety as a result of an electric system disturbance, transient, or condition.

E. Interpretations

None.

F. Associated Documents

None.

Draft 1: April 8, 2014

Draft 1: April 8, 2014 Page 17 of 17