



NORTH AMERICAN ELECTRIC
RELIABILITY CORPORATION

Standards Announcement Initial Ballot Results

Now available at: <https://standards.nerc.net/Ballots.aspx>

Project 2007-01: Underfrequency Load Shedding

The initial ballot for proposed standards PRC-006-1 — Automatic Underfrequency Load Shedding and EOP-003-1— Load Shedding Plans ended on July 17, 2010.

Ballot Results

Voting statistics are listed below, and the [Ballot Results](#) Web page provides a link to the detailed results:

Quorum: 86.94 %
Approval: 43.13 %

Since at least one negative ballot included a comment, these results are not final. A second (or recirculation) ballot must be conducted. Ballot criteria are listed at the end of the announcement.

Violation Risk Factor (VRF) and Violation Severity Level (VSL) Non-binding Poll Results

For the non-binding poll, 45% of those registered to participate provided an opinion; 71% of those who provided an opinion indicated support for the VRFs and VSLs that were proposed.

Next Steps

As part of the recirculation ballot process, the drafting team must draft and post responses to voter comments. The drafting team will also determine whether or not to make revisions to the balloted item(s). Should the team decide to make revisions, the revised item(s) will return to the initial ballot phase.

Project Background

Major objectives:

1. Ensure UFLS programs are developed to provide an appropriate level of reliability (not least common denominator).
2. Ensure that the standard is enforceable with clearly defined requirements and unambiguous language.
3. Address the issues raised by FERC Order 693 and other applicable orders.
4. Address the issues raised in the original Standards Authorization Request (SAR) for this project.
5. Address coordination between underfrequency load shedding and generator trip settings during frequency excursions.

More information is available on the project page:

http://www.nerc.com/filez/standards/Underfrequency_Load_Shedding.html

Standards Development Process

The *Reliability Standards Development Procedure* contains all the procedures governing the standards development process. The success of the NERC standards development process depends on stakeholder participation. We extend our thanks to all those who participate.

Ballot Criteria

Approval requires both a (1) quorum, which is established by at least 75% of the members of the ballot pool for submitting either an affirmative vote, a negative vote, or an abstention, and (2) A two-thirds majority of the weighted segment votes cast must be affirmative; the number of votes cast is the sum of affirmative and negative votes, excluding abstentions and nonresponses. If there are no negative votes with reasons from the first ballot, the results of the first ballot shall stand. If, however, one or more members submit negative votes with reasons, a second ballot shall be conducted.

For more information or assistance, please contact Lauren Koller at Lauren.Koller@nerc.net