

DRAFT Reliability Standard Audit Worksheet¹

COM-001-3 - Communications

This section to be completed by the Compliance Enforcement Authority.

Audit ID: Audit ID if available; or REG-NCRnnnnn-YYYYMMDD

Registered Entity: Registered name of entity being audited

NCR Number: NCRnnnnn

Compliance Enforcement Authority: Region or NERC performing audit
Compliance Assessment Date(s)²: Month DD, YYYY, to Month DD, YYYY

Compliance Monitoring Method: [On-site Audit | Off-site Audit | Spot Check]

Names of Auditors: Supplied by CEA

Applicability of Requirements

	BA	DP	GO	GOP	IA	LSE	PA/PC	PSE	RC	RP	RSG	то	TOP	TP	TSP
R1									Х						
R2									Х						
R3													Х		
R4													Х		
R5	Х														
R6	Х														
R7		Х													
R8				Х											
R9	Х								Х				Х		
R10	Х								Х				Х		
R11		Х		Х											
R12	Х			Х					Х				Х		
R13		Χ													

¹ NERC developed this Reliability Standard Audit Worksheet (RSAW) language in order to facilitate NERC's and the Regional Entities' assessment of a registered entity's compliance with this Reliability Standard. The NERC RSAW language is written to specific versions of each NERC Reliability Standard. Entities using this RSAW should choose the version of the RSAW applicable to the Reliability Standard being assessed. While the information included in this RSAW provides some of the methodology that NERC has elected to use to assess compliance with the requirements of the Reliability Standard, this document should not be treated as a substitute for the Reliability Standard or viewed as additional Reliability Standard requirements. In all cases, the Regional Entity should rely on the language contained in the Reliability Standard itself, and not on the language contained in this RSAW, to determine compliance with the Reliability Standard. NERC's Reliability Standards can be found on NERC's website. Additionally, NERC Reliability Standards are updated frequently, and this RSAW may not necessarily be updated with the same frequency. Therefore, it is imperative that entities treat this RSAW as a reference document only, and not as a substitute or replacement for the Reliability Standard. It is the responsibility of the registered entity to verify its compliance with the latest approved version of the Reliability Standards, by the applicable governmental authority, relevant to its registration status.

The NERC RSAW language contained within this document provides a non-exclusive list, for informational purposes only, of examples of the types of evidence a registered entity may produce or may be asked to produce to demonstrate compliance with the Reliability Standard. A registered entity's adherence to the examples contained within this RSAW does not necessarily constitute compliance with the applicable Reliability Standard, and NERC and the Regional Entity using this RSAW reserves the right to request additional evidence from the registered entity that is not included in this RSAW. Additionally, this RSAW includes excerpts from FERC Orders and other regulatory references. The FERC Order cites are provided for ease of reference only, and this document does not necessarily include all applicable Order provisions. In the event of a discrepancy between FERC Orders, and the language included in this document, FERC Orders shall prevail.

² Compliance Assessment Date(s): The date(s) the actual compliance assessment (on-site audit, off-site spot check, etc.) occurs.

Legend:

Text with blue background:	Fixed text – do not edit
Text entry area with Green background:	Entity-supplied information
Text entry area with white background:	Auditor-supplied information



Findings

(This section to be completed by the Compliance Enforcement Authority)

Req.	Finding	Summary and Documentation	Functions Monitored
R1			
R2			
R3			
R4			
R5			
R6			
R7			
R8			
R9			
R10			
R11			
R12			
R13			

Req.	Areas of Concern							

Req.	Recommendations						

Req.	Positive Observations							

Subject Matter Experts

Identify the Subject Matter Expert(s) responsible for this Reliability Standard.

Registered Entity Response (Required; Insert additional rows if needed):

SME Name	Title	Organization	Requirement(s)

R1 Supporting Evidence and Documentation

R1. Each Reliability Coordinator shall have Interpersonal Communication capability with the following entities (unless the Reliability Coordinator detects a failure of its Interpersonal Communication capability in which case Requirement R10 shall apply):

- **1.1.** All Transmission Operators and Balancing Authorities within its Reliability Coordinator Area.
- 1.2. Each adjacent Reliability Coordinator within the same Interconnection.

M1. Each Reliability Coordinator shall have and provide upon request evidence that it has Interpersonal Communication capability with all Transmission Operators and Balancing Authorities within its Reliability Coordinator Area and with each adjacent Reliability Coordinator within the same Interconnection, which could include, but is not limited to:

- physical assets, or
- dated evidence, such as, equipment specifications and installation documentation, test records, operator logs, voice recordings, transcripts of voice recordings, or electronic communications.

Registered Entity Response (Required):

Compliance Narrative:

Provide a brief explanation, in your own words, of how you comply with this Requirement. References to supplied evidence, including links to the appropriate page, are recommended.

Evidence Requestedi:

Provide the following evidence, or other evidence to demonstrate compliance.

For all, or an auditor selected sample of 1) Transmission Operators and Balancing Authorities within the entity's area, as well as 2) adjacent Reliability Coordinators within the same Interconnection, provide dated evidence, such as equipment specifications, installation documentation, test records, operator logs, voice recordings/transcripts, or electronic communications, of the entity's Interpersonal Communication capability.

Registered Entity Evidence (Required):

File Name	Document Title	Revision or Version	Document Date	Relevant Page(s) or Section(s)	Description of Applicability of Document

Audit	Team Evidence Reviewed (This section to be completed by the Compliance Enforcement Authority):
	Team 2 nation of (nine section to 20 completed 2) and completed 2).
Comp	liance Assessment Approach Specific to COM-001-3, R1
This s	ection to be completed by the Compliance Enforcement Authority
(R1) Review evidence and verify the entity has Interpersonal Communication capability for all, or a
S	sample of:
(Part 1.1) Transmission Operators and Balancing Authorities within the entity's area.
(Part 1.2) Adjacent Reliability Coordinators within the entity's Interconnection.
Note	e to Auditor: If the entity detects a failure of its Interpersonal Communication capability in the
	pliance Monitoring Period, the auditor should evaluate the response in conjunction with R10.
Audit	or Notes:
710010	e. netes.

R2 Supporting Evidence and Documentation

- **R2.** Each Reliability Coordinator shall designate an Alternative Interpersonal Communication capability with the following entities:
 - **2.1.** All Transmission Operators and Balancing Authorities within its Reliability Coordinator Area.
 - **2.2.** Each adjacent Reliability Coordinator within the same Interconnection.
- **M2.** Each Reliability Coordinator shall have and provide upon request evidence that it designated an Alternative Interpersonal Communication capability with all Transmission Operators and Balancing Authorities within its Reliability Coordinator Area and with each adjacent Reliability Coordinator within the same Interconnection, which could include, but is not limited to:
 - physical assets, or
 - dated evidence, such as, equipment specifications and installation documentation, test records, operator logs, voice recordings, transcripts of voice recordings, or electronic communications.

Registered Entity Response (Required):

Compliance Narrative:

Provide a brief explanation, in your own words, of how you comply with this Requirement. References to supplied evidence, including links to the appropriate page, are recommended.

Evidence Requestedⁱ:

Provide the following evidence, or other evidence to demonstrate compliance.

For all, or an auditor selected sample of 1) Transmission Operators and Balancing Authorities within the entity's area, as well as 2) adjacent Reliability Coordinators within the same Interconnection, provide dated evidence, such as equipment specifications, installation documentation, test records, operator logs, voice recordings/transcripts, or electronic communications, that the entity designated an Alternative Interpersonal Communication capability.

Registered Entity Evidence (Required):

File Name	Document Title	Revision or Version	Document Date	Relevant Page(s) or Section(s)	Description of Applicability of Document

Audit Team Evidence Reviewed (This section to be completed by the Compliance Enforcement Authority):
Compliance Assessment Approach Specific to COM-001-3, R2
This section to be completed by the Compliance Enforcement Authority
(R2) Review evidence and verify the entity designated an Alternative Interpersonal Communication
capability for all, or a sample of:
(Part 2.1) Transmission Operators and Balancing Authorities within the entity's area.
(Part 2.2) Adjacent Reliability Coordinators within the entity's Interconnection.
Note to Auditor:
Auditor Notes:

R3 Supporting Evidence and Documentation

R3. Each Transmission Operator shall have Interpersonal Communication capability with the following entities (unless the Transmission Operator detects a failure of its Interpersonal Communication capability in which case Requirement R10 shall apply):

- 3.1. Its Reliability Coordinator.
- 3.2. Each Balancing Authority within its Transmission Operator Area.
- **3.3.** Each Distribution Provider within its Transmission Operator Area.
- **3.4.** Each Generator Operator within its Transmission Operator Area.
- 3.5. Each adjacent Transmission Operator synchronously connected.
- **3.6.** Each adjacent Transmission Operator asynchronously connected.

M3. Each Transmission Operator shall have and provide upon request evidence that it has Interpersonal Communication capability with its Reliability Coordinator, each Balancing Authority, Distribution Provider, and Generator Operator within its Transmission Operator Area, and each adjacent Transmission Operator asynchronously or synchronously connected, which could include, but is not limited to:

- physical assets, or
- dated evidence, such as, equipment specifications and installation documentation, test records, operator logs, voice recordings, transcripts of voice recordings, or electronic communication.

Registered Entity Response (Required):

Compliance Narrative:

Provide a brief explanation, in your own words, of how you comply with this Requirement. References to supplied evidence, including links to the appropriate page, are recommended.

Evidence Requestedⁱ:

Provide the following evidence, or other evidence to demonstrate compliance.

For all, or an auditor selected sample, of 1) the entity's Reliability Coordinator, 2) Balancing Authorities within the entity's area, 3) Distribution Providers within the entity's area, 4) Generator Operators within the entity's area, 5) adjacent Transmission Operators synchronously connected to the entity, and 6) adjacent Transmission Operators asynchronously connected to the entity, provide dated evidence, such as equipment specifications, installation documentation, test records, operator logs, voice recordings/transcripts, or electronic communication, of Interpersonal Communication capability.

Registered Entity Evidence (Required):

		Revision		Relevant Page(s)			
		or	Document	or	Description of Applicability		
File Name	Document Title	Version	Date	Section(s)	of Document		
Audit Team Evidence Re	eviewed (This section	to be comple	ted by the Co	mpliance Enf	orcement Authority):		
		•			.,,		
Compliance Assessment	•						
This section to be comp	<u> </u>						
, ,	ce and verify the enti	ty has Inter _l	personal Com	nmunication	capability for all, or a sample		
of:	/ D !: !!!!						
,	y's Reliability Coordin						
	Authorities within th						
,	on Providers within the	•					
•	r Operators within th	•					
	Transmission Operate	•	•		•		
, ,	Transmission Operate	•	•		,		
			•		n capability in the Compliance		
Monitoring Period, the	auditor should evalu	ate the resp	onse in conju	inction with	R10.		
Auditor Notes:							

R4 Supporting Evidence and Documentation

R4. Each Transmission Operator shall designate an Alternative Interpersonal Communication capability with the following entities:

- **4.1.** Its Reliability Coordinator.
- **4.2.** Each Balancing Authority within its Transmission Operator Area.
- **4.3.** Each adjacent Transmission Operator synchronously connected.
- **4.4.** Each adjacent Transmission Operator asynchronously connected.

M4. Each Transmission Operator shall have and provide upon request evidence that it designated an Alternative Interpersonal Communication capability with its Reliability Coordinator, each Balancing Authority within its Transmission Operator Area, and each adjacent Transmission Operator asynchronously and synchronously connected, which could include, but is not limited to:

- physical assets, or
- dated evidence, such as, equipment specifications and installation documentation, test records, operator logs, voice recordings, transcripts of voice recordings, or electronic communications.

Registered Entity Response (Required):

Compliance Narrative:

Provide a brief explanation, in your own words, of how you comply with this Requirement. References to supplied evidence, including links to the appropriate page, are recommended.

Evidence Requestedⁱ:

Provide the following evidence, or other evidence to demonstrate compliance.

For all, or an auditor selected sample, of 1) the entity's Reliability Coordinator, 2) Balancing Authorities within the entity's area, 3) adjacent Transmission Operators synchronously connected to the entity, and 4) adjacent Transmission Operators asynchronously connected to the entity, provide dated evidence, such as equipment specifications, installation documentation, test records, operator logs, voice recordings/transcripts, or electronic communications, that the entity designated an Alternative Interpersonal Communication capability.

Registered Entity Evidence (Required):

				Relevant	
		Revision		Page(s)	
		or	Document	or	Description of Applicability
File Name	Document Title	Version	Date	Section(s)	of Document

Aud	it Team Evidence Ro	eviewed (This secti	on to be comple	eted by the Co	mpliance Enf	orcement Authority):
	pliance Assessmen section to be comp			-	ity	
	(R4) Review eviden		entity designate	ed an Alterna	tive Interper	sonal Communication
	(Part 4.1) The entit	y's Reliability Coor	dinator.			
	(Part 4.2) Balancing	g Authorities within	n the entity's A	rea.		
	(Part 4.3) Adjacent	Transmission Ope	rators synchro	nously conne	cted to the e	entity.
	(Part 4.4) Adjacent	Transmission Ope	rators asynchr	onously conn	ected to the	entity.
No	te to Auditor:					
Aud	itor Notes:					

R5 Supporting Evidence and Documentation

R5. Each Balancing Authority shall have Interpersonal Communication capability with the following entities (unless the Balancing Authority detects a failure of its Interpersonal Communication capability in which case Requirement R10 shall apply):

- **5.1.** Its Reliability Coordinator.
- **5.2.** Each Transmission Operator that operates Facilities within its Balancing Authority Area.
- **5.3.** Each Distribution Provider within its Balancing Authority Area.
- **5.4.** Each Generator Operator that operates Facilities within its Balancing Authority Area.
- **5.5.** Each Adjacent Balancing Authority.

M5. Each Balancing Authority shall have and provide upon request evidence that it has Interpersonal Communication capability with its Reliability Coordinator, each Transmission Operator and Generator Operator that operates Facilities within its Balancing Authority Area, each Distribution Provider within its Balancing Authority Area, and each adjacent Balancing Authority, which could include, but is not limited to:

- physical assets, or
- dated evidence, such as, equipment specifications and installation documentation, test records, operator logs, voice recordings, transcripts of voice recordings, or electronic communication.

Registered Entity Response (Required):

Compliance Narrative:

Provide a brief explanation, in your own words, of how you comply with this Requirement. References to supplied evidence, including links to the appropriate page, are recommended.

Evidence Requestedi:

Provide the following evidence, or other evidence to demonstrate compliance.

For all, or an auditor selected sample, of 1) the entity's Reliability Coordinator, 2) Transmission Operators that operate Facilities within the entity's area, 3) Distribution Providers within the entity's area, 4) Generator Operators that operate Facilities within the entity's area, and 5) adjacent Balancing Authorities, provide dated evidence, such as equipment specifications, installation documentation, test records, operator logs, voice recordings/transcripts, or electronic communications, of Interpersonal Communication capability.

Registered Entity Evidence (Required):

		Revision or	Document	Relevant Page(s) or	Description of Applicability
File Name	Document Title	Version	Date	Section(s)	of Document
Audit Team Evidence Re	wiewed (This section t	to he comple	ated by the Co	mpliance Enf	orcoment Authority)
Addit Team Evidence No	eviewed (This section)	to be comple	teu by the co	inpliance Lin	ortement Authority).
Compliance Assessment	t Annroach Snocific to	- COM 001	2 DE		
This section to be compl	• •		•	itv	
					capability for all, or a sample
of:	·	•			
(Part 5.1) The entity	y's Reliability Coordin	ator.			
(Part 5.2) Transmiss	sion Operators that o	perate Facil	ities within th	ne entity's A	rea.
· '	on Providers within t				
,	r Operators that oper		es within the	entity's Area	
(Part 5.5) Adjacent	Balancing Authorities	5.			
					n capability in the Compliance
Monitoring Period, the	auditor should evalua	ate the resp	onse in conju	inction with	R10.
Auditor Notes:					
1 33301 112 33001					

R6 Supporting Evidence and Documentation

R6. Each Balancing Authority shall designate an Alternative Interpersonal Communication capability with the following entities:

- **6.1.** Its Reliability Coordinator.
- **6.2.** Each Transmission Operator that operates Facilities within its Balancing Authority Area.
- **6.3.** Each Adjacent Balancing Authority.

M6. Each Balancing Authority shall have and provide upon request evidence that it designated an Alternative Interpersonal Communication capability with its Reliability Coordinator, each Transmission Operator that operates Facilities within its Balancing Authority Area, and each adjacent Balancing Authority, which could include, but is not limited to:

- physical assets, or
- dated evidence, such as, equipment specifications and installation documentation, test records, operator logs, voice recordings, transcripts of voice recordings, or electronic communication.

Registered Entity Response (Required):

Compliance Narrative:

Provide a brief explanation, in your own words, of how you comply with this Requirement. References to supplied evidence, including links to the appropriate page, are recommended.

Evidence Requestedⁱ:

Provide the following evidence, or other evidence to demonstrate compliance.

For all, or an auditor selected sample, of 1) the entity's Reliability Coordinator, 2) Transmission Operators that operate Facilities within the entity's area, and 3) adjacent Balancing Authorities, provide dated evidence, such as equipment specifications, installation documentation, test records, operator logs, voice recordings/transcripts, or electronic communications, that the entity designated an Alternative Interpersonal Communication capability.

Registered Entity Evidence (Required):

File Name	Document Title	Revision or Version	Document Date	Relevant Page(s) or Section(s)	Description of Applicability of Document
					C. Decament

Audit Team Evidence Reviewed (This section to be completed by the Compliance Enforcement Authority):

Compliance Assessment Approach Specific to COM-001-3, R6

This section to be completed by the Compliance Enforcement Authority

	(R6) Review evidence and verify the entity designated an Alternative Interpersonal Communication
	capability for all, or a sample of:
	(Part 6.1) The entity's Reliability Coordinator.
	(Part 6.2) Transmission Operators that operate Facilities within the entity's Area.
	(Part 6.3) Adjacent Balancing Authorities.
No	ete to Auditor:

Auditor Notes	:
----------------------	---

R7 Supporting Evidence and Documentation

- **R7.** Each Distribution Provider shall have Interpersonal Communication capability with the following entities (unless the Distribution Provider detects a failure of its Interpersonal Communication capability in which case Requirement R11 shall apply):
 - **7.1.** Its Balancing Authority.
 - 7.2. Its Transmission Operator.
- **M7.** Each Distribution Provider shall have and provide upon request evidence that it has Interpersonal Communication capability with its Transmission Operator and its Balancing Authority, which could include, but is not limited to:
 - physical assets, or
 - dated evidence, such as, equipment specifications and installation documentation, test records, operator logs, voice recordings, transcripts of voice recordings, or electronic communications.

Registered Entity Response (Required):

Compliance Narrative:

Provide a brief explanation, in your own words, of how you comply with this Requirement. References to supplied evidence, including links to the appropriate page, are recommended.

Evidence Requestedⁱ:

Provide the following evidence, or other evidence to demonstrate compliance.

For the entity's 1) Balancing Authority and 2) Transmission Operator, provide dated evidence, such as equipment specifications, installation documentation, test records, operator logs, voice recordings/transcripts, or electronic communications, of Interpersonal Communication capability.

Registered Entity Evidence (Required):

The following information is requested for each document submitted as evidence. Also, evidence submitted should be highlighted and bookmarked, as appropriate, to identify the exact location where evidence of compliance may be found.

File Name	Document Title	Revision or Version	Document Date	Relevant Page(s) or Section(s)	Description of Applicability of Document

Audit Team Evidence Reviewed (This section to be completed by the Compliance Enforcement Authority):

Compliance Assessment Approach Specific to COM-001-3, R7 This section to be completed by the Compliance Enforcement Authority (R7) Review evidence and verify the entity has Interpersonal Communication capability for: (Part 7.1) The entity's Balancing Authority. (Part 7.2) The entity's Transmission Operator. Auditor Notes:

R8 Supporting Evidence and Documentation

R8. Each Generator Operator shall have Interpersonal Communication capability with the following entities (unless the Generator Operator detects a failure of its Interpersonal Communication capability in which case Requirement R11 shall apply):

- **8.1.** Its Balancing Authority.
- 8.2. Its Transmission Operator.

M8. Each Generator Operator shall have and provide upon request evidence that it has Interpersonal Communication capability with its Balancing Authority and its Transmission Operator, which could include, but is not limited to:

- physical assets, or
- dated evidence, such as, equipment specifications and installation documentation, test records, operator logs, voice recordings, transcripts of voice recordings, or electronic communications.

Registered Entity Response (Required):

Compliance Narrative:

Provide a brief explanation, in your own words, of how you comply with this Requirement. References to supplied evidence, including links to the appropriate page, are recommended.

Evidence Requestedⁱ:

Provide the following evidence, or other evidence to demonstrate compliance.

For the entity's 1) Balancing Authority and 2) Transmission Operator, provide dated evidence, such as equipment specifications, installation documentation, test records, operator logs, voice recordings/transcripts, or electronic communications, of Interpersonal Communication capability.

Registered Entity Evidence (Required):

The following information is requested for each document submitted as evidence. Also, evidence submitted should be highlighted and bookmarked, as appropriate, to identify the exact location where evidence of compliance may be found.

File Name	Document Title	Revision or Version	Document Date	Relevant Page(s) or Section(s)	Description of Applicability of Document

Audit Team Evidence Reviewed (This section to be completed by the Compliance Enforcement Authority):

Compliance Assessment Approach Specific to COM-001-3, R8 This section to be completed by the Compliance Enforcement Authority (R8) Review evidence and verify the entity has Interpersonal Communication capability for: (Part 8.1) The entity's Balancing Authority. (Part 8.2) The entity's Transmission Operator. Note to Auditor: If the entity detects a failure of its Interpersonal Communication capability in the Compliance Monitoring Period, the auditor should evaluate the response in conjunction with R11. Auditor Notes:

R9 Supporting Evidence and Documentation

R9. Each Reliability Coordinator, Transmission Operator, and Balancing Authority shall test its Alternative Interpersonal Communication capability at least once each calendar month. If the test is unsuccessful, the responsible entity shall initiate action to repair or designate a replacement Alternative Interpersonal Communication capability within 2 hours.

M9. Each Reliability Coordinator, Transmission Operator, and Balancing Authority shall have and provide upon request evidence that it tested, at least once each calendar month, its Alternative Interpersonal Communication capability designated in Requirements R2, R4, or R6. If the test was unsuccessful, the entity shall have and provide upon request evidence that it initiated action to repair or designated a replacement Alternative Interpersonal Communication capability within 2 hours. Evidence could include, but is not limited to: dated and time-stamped test records, operator logs, voice recordings, transcripts of voice recordings, or electronic communications.

Registered	d Entity	Response	(Requ	ired) :
------------	----------	----------	-------	------	------------

negistered Entity Response (Negatied).	
Question: Did the entity have an unsuccessful test of its Alternative Interpersonal Communication capability	
during the compliance monitoring period? \square Yes \square No	
[If Yes, provide a list of instances of unsuccessful Alternative Interpersonal Communication tests and proceed	b
to the Compliance Narrative section below. If No, proceed to the Compliance Narrative section below.]	
[Note: A separate spreadsheet or other document may be used. If so, provide the document reference below	٧.

Registered Entity Response (Required):

Compliance Narrative:

Provide a brief explanation, in your own words, of how you comply with this Requirement. References to supplied evidence, including links to the appropriate page, are recommended.

Evidence Requestedi:

Provide the following evidence, or other evidence to demonstrate compliance.

For an auditor selected sample of monthly Alternative Interpersonal Communication capability tests with all, or an auditor selected sample of, applicable entities (identified in Requirements R2, R4, or R6), provide dated and time-stamped evidence, such as test records, operator logs, voice recordings/transcripts, or electronic communications, that the entity's Alternative Interpersonal Communication capability was tested at least once each calendar month.

For all, or an auditor selected sample of unsuccessful Alternative Interpersonal Communication tests, provide dated and time-stamped evidence, such as test records, operator logs, voice recordings/transcripts, or electronic communications, that action was initiated to repair or designate a replacement Alternative Interpersonal Communication capability within 2 hours.

File Name	Document Title	Revision or Version	Document Date	Relevant Page(s) or Section(s)	Description of Applicability of Document
The Name	Document ritle	VEISIOII	Date	Section(s)	or bocument
audit Team Evidence Re	eviewed (This section	to he comple	ated by the Co	mnljance Enf	orcement Authority):
dant ream Evidence No	eviewed (This section	to be comple	teu by the co	inpliance Lin	orcement Authority).
	leted by the Complia w evidence and verif	nce Enforce y the entity	ment Author tested the de	_	ernative Interpersonal
	pability at least once				anatina latamananal
	•		•		ernative Interpersonal
Communication car		-	•	_	ated a replacement
Communication cap					
Alternative Interpe			unication cap	ability is to b	e verified functional by
Alternative Interpe			unication cap	ability is to b	e verified functional by
Alternative Interpe Note to Auditor: Each			unication cap	ability is to b	e verified functional by

R10 Supporting Evidence and Documentation

R10. Each Reliability Coordinator, Transmission Operator, and Balancing Authority shall notify entities as identified in Requirements R1, R3, and R5, respectively within 60 minutes of the detection of a failure of its Interpersonal Communication capability that lasts 30 minutes or longer.

M10. Each Reliability Coordinator, Transmission Operator, and Balancing Authority shall have and provide upon request evidence that it notified entities as identified in Requirements R1, R3, and R5, respectively within 60 minutes of the detection of a failure of its Interpersonal Communication capability that lasted 30 minutes or longer. Evidence could include, but is not limited to: dated and time-stamped test records, operator logs, voice recordings, transcripts of voice recordings, or electronic communications.

Registered Entity Response (Required):
Question: Did the entity experience a failure of its Interpersonal Communication capability, as identified in
Requirements R1, R3 and R5, that lasted longer than 30 minutes during the compliance monitoring period?
□ Yes □ No
[If Yes, provide a list of instances of Interpersonal Communication failures that lasted 30 minutes or longer and proceed to the Compliance Narrative section below. If No, then proceed to the Compliance Narrative section below.]
[Note: A separate spreadsheet or other document may be used. If so, provide the document reference below.]

Registered Entity Response (Required):

Compliance Narrative:

Provide a brief explanation, in your own words, of how you comply with this Requirement. References to supplied evidence, including links to the appropriate page, are recommended.

Evidence Requestedⁱ:

Provide the following evidence, or other evidence to demonstrate compliance.

For all, or an auditor selected sample of, R1, R3 and R5 Interpersonal Communication capability failures that lasted longer than 30 minutes, provide dated and time-stamped evidence, such as test records, operator logs, voice recordings/transcripts, or electronic communications that the entity notified the appropriate entities (identified in Requirements R1, R3, or R5) within 60 minutes of detecting the failure.

Registered Entity Evidence (Required):

		Revision			
		or	Document	Relevant	Description of Applicability
File Name	Document Title	Version	Date	Page(s)	of Document

				or Section(s)					
				, ,					
Audit Team Evidence R	Audit Team Evidence Reviewed (This section to be completed by the Compliance Enforcement Authority):								
	,				,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,				
Compliance Assessmen	= = =								
This section to be comp					failures that lasted 20				
					failures that lasted 30				
-	ninutes of detecting t	-	ne entity pro	vided notinc	ation to the appropriate				
			failure" mea	surament st	arts after the 30 minute				
threshold.	within 00 minutes of	acteeting a	Tanare mea	surcincin su	arts after the 30 minute				
tili esiloid.									
Auditor Notes:									

R11 Supporting Evidence and Documentation

R11. Each Distribution Provider and Generator Operator that detects a failure of its Interpersonal Communication capability shall consult each entity affected by the failure, as identified in Requirement R7 for a Distribution Provider or Requirement R8 for a Generator Operator, to determine a mutually agreeable action for the restoration of its Interpersonal Communication capability.

M11. Each Distribution Provider and Generator Operator that detected a failure of its Interpersonal Communication capability shall have and provide upon request evidence that it consulted with each entity affected by the failure, as identified in Requirement R7 for a Distribution Provider or Requirement R8 for a Generator Operator, to determine mutually agreeable action to restore the Interpersonal Communication capability. Evidence could include, but is not limited to: dated operator logs, voice recordings, transcripts of voice recordings, or electronic communications.

Question: Did the entity detect a failure of its Interpersonal Communication capability, as identified in
Requirements R7 and R8, during the compliance monitoring period? Yes No
[If Yes, provide a list of instances of Interpersonal Communication failures and proceed to the Compliance
Narrative section below. If No, then proceed to the Compliance Narrative section below.]
[Note: A separate spreadsheet or other document may be used. If so, provide the document reference below.]

Registered Entity Response (Required):

Compliance Narrative:

Provide a brief explanation, in your own words, of how you comply with this Requirement. References to supplied evidence, including links to the appropriate page, are recommended.

Evidence Requestedⁱ:

Provide the following evidence, or other evidence to demonstrate compliance.

For all, or an auditor selected sample of, R7 and R8 Interpersonal Communication capability failures, provide dated evidence, such as operator logs, voice recordings/transcripts, or electronic communications, that 1) the entity consulted with each appropriate entity affected by the failure, as well as 2) that a mutually agreeable action to restore the Interpersonal Communication capability was determined.

Registered Entity Evidence (Required):

		Revision			
		or	Document	Relevant	Description of Applicability
File Name	Document Title	Version	Date	Page(s)	of Document

					or					
					Section(s)					
Auc	lit Team Evidence Re	eviewed (This section t	to be comple	eted by the Co	mpliance Enf	orcement Authority):				
	-	t Approach Specific to								
This	•	leted by the Compliai								
	For all, or a sample	of R7 and R8 Interpe	rsonal Comi	munication ca	apability failu	ures, review evidence and				
	verify that the entit	ty consulted the appro	opriate enti	ties affected	by the failur	e.				
	For all, or a sample	of R7 and R8 Interpe	rsonal Comi	munication ca	apability failu	ures, review evidence and				
	verify that the enti	ty determined a mutu	ally agreeal	ole action to	restore its In	terpersonal				
	Communication cap	pability.								
No	te to Auditor:									
Auc	Auditor Notes:									

R12 Supporting Evidence and Documentation

R12. Each Reliability Coordinator, Transmission Operator, Generator Operator, and Balancing Authority shall have internal Interpersonal Communication capabilities for the exchange of information that is necessary for the Reliable Operation of the BES.

M12. Each Reliability Coordinator, Transmission Operator, Generator Operator, and Balancing Authority shall have and provide upon request evidence that it has internal Interpersonal Communication capability, which could include, but is not limited to:

- physical assets, or
- dated evidence, such as, equipment specifications and installation documentation, operating procedures, test records, operator logs, voice recordings, transcripts of voice recordings, or electronic communications.
- Examples include, but are not limited to, between geographically separate control centers within the same functional entity, or between a control center and field switching personnel.

Registered Entity Response (Required):

Compliance Narrative:

Provide a brief explanation, in your own words, of how you comply with this Requirement. References to supplied evidence, including links to the appropriate page, are recommended.

Evidence Requestedⁱ:

Provide the following evidence, or other evidence to demonstrate compliance.

Provide dated evidence, such as equipment specifications, installation documentation, operating procedures, test records, operator logs, voice recordings/transcripts, or electronic communications, of the entity's internal Interpersonal Communication capability for the exchange of information necessary for the Reliable Operation of the BES.

Registered Entity Evidence (Required):

The following information is requested for each document submitted as evidence. Also, evidence submitted should be highlighted and bookmarked, as appropriate, to identify the exact location where evidence of compliance may be found.

				Relevant					
		Revision		Page(s)					
		or	Document	or	Description of Applicability				
File Name	Document Title	Version	Date	Section(s)	of Document				

Audit Team Evidence Reviewed (This section to be completed by the Compliance Enforcement Authority):

	DRAFT NERC Reliability Standard Audit Worksheet
This section	e Assessment Approach Specific to COM-001-3, R12 to be completed by the Compliance Enforcement Authority
	v evidence and verify that the entity has internal Interpersonal Communication capability for the nge of information necessary for the Reliable Operation of the BES.
Note to Au	uditor:
Auditor Not	tes:

R13 Supporting Evidence and Documentation

R13. Each Distribution Provider shall have internal Interpersonal Communication capabilities for the exchange of information that is necessary for the Reliable Operation of the BES.

M13. Each Distribution Provider shall have and provide upon request evidence that it has internal Interpersonal Communication capability, which could include, but is not limited to:

- physical assets, or
- dated evidence, such as, equipment specifications and installation documentation, operating procedures, test records, operator logs, voice recordings, transcripts of voice recordings, or electronic communications.
- Examples include, but are not limited to, between geographically separate control centers within the same functional entity, or between a control center and field switching personnel.

Registered Entity Response (Required):

Compliance Narrative:

Provide a brief explanation, in your own words, of how you comply with this Requirement. References to supplied evidence, including links to the appropriate page, are recommended.

Evidence Requestedi:

Provide the following evidence, or other evidence to demonstrate compliance.

Provide dated evidence, such as equipment specifications, installation documentation, operating procedures, test records, operator logs, voice recordings/transcripts, or electronic communications, of the entity's internal Interpersonal Communication capability for the exchange of information necessary for the Reliable Operation of the BES.

Registered Entity Evidence (Required):

File Name	Document Title	Revision or Version	Document Date	Relevant Page(s) or Section(s)	Description of Applicability of Document

Audit Team Evidence Reviewed	(TI	his section to be com	pleted	by th	e Comp	liance Enf	orcement Autl	nority	/):
------------------------------	-----	-----------------------	--------	-------	--------	------------	---------------	--------	-----

-	liance Assessment Approach Specific to COM-001-3, R13 ection to be completed by the Compliance Enforcement Authority
R	Review evidence and verify that the entity has internal Interpersonal Communication capability for the exchange of information necessary for the Reliable Operation of the BES.
	e to Auditor:
Audite	or Notes:

Additional Information:

Reliability Standard

The RSAW developer should provide the following information without hyperlinks. Update the information below as appropriate.

The full text of STD-0XX-N may be found on the NERC Web Site (www.nerc.com) under "Program Areas & Departments", "Reliability Standards."

In addition to the Reliability Standard, there is an applicable Implementation Plan available on the NERC Web Site.

In addition to the Reliability Standard, there is background information available on the NERC Web Site.

Capitalized terms in the Reliability Standard refer to terms in the NERC Glossary, which may be found on the NERC Web Site.

Sampling Methodology [If developer deems reference applicable]

Sampling is essential for auditing compliance with NERC Reliability Standards since it is not always possible or practical to test 100% of either the equipment, documentation, or both, associated with the full suite of enforceable standards. The Sampling Methodology Guidelines and Criteria (see NERC website), or sample guidelines, provided by the Electric Reliability Organization help to establish a minimum sample set for monitoring and enforcement uses in audits of NERC Reliability Standards.

Regulatory Language [Developer to ensure RSAW has been provided to NERC Legal for links to appropriate Regulatory Language – See example below]

E.g. FERC Order No. 742 paragraph 34: "Based on NERC's......

E.g. FERC Order No. 742 Paragraph 55, Commission Determination: "We affirm NERC's......

Selected Glossary Terms [If developer deems applicable]

The following Glossary terms are provided for convenience only. Please refer to the NERC web site for the current enforceable terms.

Interpersonal Communication - Any medium that allows two or more individuals to interact, consult, or exchange information.

Alternative Interpersonal Communication - Any Interpersonal Communication that is able to serve as a substitute for, and does not utilize the same infrastructure (medium) as, Interpersonal Communication used for day-to- day operation.

Revision History for RSAW

Version	Date	Reviewers	Revision Description
1	10/09/2015	RSAW Task Force, NERC Compliance Assurance	New Document

ⁱ Items in the Evidence Requested section are suggested evidence that may, but will not necessarily, demonstrate compliance. These items are not mandatory and other forms and types of evidence may be submitted at the entity's discretion.