

# Calculating Extreme Cold Weather Temperature

# **RELIABILITY | RESILIENCE | SECURITY**



3353 Peachtree Road NE Suite 600, North Tower Atlanta, GA 30326 404-446-2560 | www.nerc.com

# **Table of Contents**

Preface	iii
Introduction	iv
Determination of Location's Extreme Cold Weather Temperature	1
Gathering the Data	1
Analyzing the Data	8
Option 1	8
Option 2	12

# Preface

Electricity is a key component of the fabric of modern society and the Electric Reliability Organization (ERO) Enterprise serves to strengthen that fabric. The vision for the ERO Enterprise, which is comprised of NERC and the six Regional Entities, is a highly reliable, resilient, and secure North American bulk power system (BPS). Our mission is to assure the effective and efficient reduction of risks to the reliability and security of the grid.

Reliability | Resilience | Security Because nearly 400 million citizens in North America are counting on us

The North American BPS is made up of six Regional Entity boundaries as shown in the map and corresponding table below. The multicolored area denotes overlap as some load-serving entities participate in one Regional Entity while associated Transmission Owners/Operators participate in another.



MRO	Midwest Reliability Organization
NPCC	Northeast Power Coordinating Council
RF	ReliabilityFirst
SERC	SERC Reliability Corporation
Texas RE	Texas Reliability Entity
WECC	WECC

# Introduction

This document will demonstrate one method for acquiring the necessary data for a given location and a method of performing the statistical analysis of the data to determine the Extreme Cold Weather Temperature for a given location. This example is focused on United States and will use data obtained from NOAA's Climate Data Online database and perform the statistical analysis with Microsoft Excel. The method shown in this document only shows the collection of data from a single source and two methods of analyzing this data, both using Microsoft Excel.

# **Gathering the Data**

Navigate to https://www.ncdc.noaa.gov/cdo-web/

1. Select Data Tools.



#### 2. Scroll down if necessary and select Local Climatological Data (LCD).





#### Select a Location

Locate weather observing stations using a variety of parameters such as address, ZIP code, date, and data type with filters by observation type Order data by weather observing stations or by geographic locations using a simplified drill-down interface with data from U.S. and other countries

#### Search Within a Single Dataset

The following search tools access data from within a specific dataset. Use these tools to view or order data from within each respectiv dataset. Data will be in a more standard format across stations or locations.



**Climate Normals** 

View temperature and precipitation Climate Normals for over 9,800 stations across the United States and a selection of other territories



#### Local Climatological Data (LCD)

View and order hourly, daily, and monthly data from nearly 2400 locations within the U.S., surrounding territories, and other selected areas



#### Daily Weather Records

Access summaries of recent global and U.S. daily weather records with options to view monthly, annual, all-time or selected records



Marine Data

View and order historical marine data which is comprised of ship, buoy, and platform observations from 1662 to present. 3. Use the selection tool to find a weather station appropriate for your location and click ADD TO CART.

# Map Tool

Select a Location Type Select a State Select a County							
Country	^ Ohio	Lincoln County, OK					
US Territory	Oklahoma	Logan County, OK					
State	Oregon	McCurtain County, OK					
County	Pennsylvania	Muskogee County, OK					
Zip Code	Rhode Island	Oklahoma County, OK					
	South Carolina	Okmulgee County, OK v					

## Local Climatological Data > County > Oklahoma County, OK

1–3 of 3 Stations

STATION DETAILS	
OKLAHOMA CITY TINKER AFB, OK US View Full Details 👁 Station ID: WBAN:13919 Period of Record: 1942-12-14 to 2022-08-08	ADD TO CART
OKLAHOMA CITY WILEY POST AIRPORT, OK US View Full Details ◆ Station ID: WBAN:03954 Period of Record: 2005-01-01 to 2022-08-08	ADD TO CART
OKLAHOMA CITY WILL ROGERS WORLD AIRPORT, OK US View Full Details Station ID: WBAN:13967 Period of Record: 1941-12-14 to 2022-08-08	ADD TO CART

1–3 of 3 Stations

4. Click on the carticon in the upper right-hand portion of the page.



n the United States and its territories. Select the state iew details or click "ADD TO CART" to order that

nty	
ty, OK	^
у, ОК	
ounty, OK	~

## ounty, OK

5. Select LCD CSV, your desired date range, and then click continue. (Note: date ranges must be less than 10 years, so this process might have to be repeated several times and multiple files combined into one in order to get all data necessary to perform the analysis to determine the Extreme Cold Weather Temperature)





# Review the items in your cart



6. Enter and verify your email address and click **Submit Order.** You will receive an email when your request has been processed and is ready to download.

REQUESTED DATA REVIEW						
Dataset	Local Climatological Data					
Order Start Date	2012-10-31 00:00					
Order End Date	2022-03-01 23:59					
Output Format	LCD CSV					
Stations/Locations	OKLAHOMA CITY WILL ROGERS WORLD AIRPORT, OK US (Station ID: WBAN:13967)					

# Enter email address

Please enter your email address. This is the address to which your data links and information regarding this order will be sent. Please read NOAA's Privacy Policy if you have any concerns.

Fmail	Address
LIIIall	Audi C33

email@address.com	$\bowtie$
email@address.com	

#### Verify Email Address

email@address.com

 $\geq$ 

#### Remember my email address

[Uncheck to forget]

NOAA will not share your email address with anyone. The email address will not be used for any purpose other than communicating the order status.



7. Click **Download** in the email that you will receive from NOAA to download your dataset.



# Analyzing the Data

#### **Option 1**

- 1. Open the .csv file that was downloaded using the previous steps (and combine with other .csv files as necessary to cover the required date range).
- 2. Add filters to the first row and filter on "Report Type", column C, to only show report type FM-15, this is the standard METAR data.

STATION 💌	DATE	REPOR -	SOURCI	AWND 🔻	Backup 🔻							
72353013967	2012-10-31T00:52:00	FM-15	7									
72353013967	2012-10-31T01:52:00	FM-15	7									
72353013967	2012-10-31T02:52:00	FM-15	7									
72353013967	2012-10-31T03:52:00	FM-15	7									
72353013967	2012-10-31T04:52:00	FM-15	7									
72353013967	2012-10-31T05:52:00	FM-15	7									
72353013967	2012-10-31T06:52:00	FM-15	7									
72353013967	2012-10-31T07:52:00	FM-15	7									
72353013967	2012-10-31T08:52:00	FM-15	7									
72353013967	2012-10-31T09:52:00	FM-15	7									
72353013967	2012-10-31T10:52:00	FM-15	7									
72353013967	2012-10-31T11:52:00	FM-15	7									
72353013967	2012-10-31T12:52:00	FM-15	7									
72353013967	2012-10-31T13:52:00	FM-15	7									
72353013967	2012-10-31T14:52:00	FM-15	7									
72353013967	2012-10-31T15:52:00	FM-15	7									
72353013967	2012-10-31T16:52:00	FM-15	7									
72353013967	2012-10-31T17:52:00	FM-15	7									
72353013967	2012-10-31T18:52:00	FM-15	7									
72353013967	2012-10-31T19:52:00	FM-15	7									
72353013967	2012-10-31T20:52:00	FM-15	7									
72353013967	2012-10-31T21:52:00	FM-15	7									
72353013967	2012-10-31T22:52:00	FM-15	7									
72353013967	2012-10-31T23:52:00	FM-15	7									
72353013967	2012-11-01T00:52:00	FM-15	7									
72353013967	2012-11-01T01:52:00	FM-15	7									
72353013967	2012-11-01T02:52:00	FM-15	7									
72353013967	2012-11-01T03:52:00	FM-15	7									
72353013967	2012-11-01T04:52:00	FM-15	7									
72353013967	2012-11-01T05:52:00	FM-15	7									

3. Select the Date column, column B, by clicking on the column, scroll over to the HourlyDryBulbTemperature column, column AS, and holding down the CTRL key, select that column. Copy and paste both columns into a new sheet named "Clean and Filter".

DATE	HourlyDry	BulbTempe	erature
2012-10-31T00:52:00	52		
2012-10-31T01:52:00	51		
2012-10-31T02:52:00	50		
2012-10-31T03:52:00	47		
2012-10-31T04:52:00	46		
2012-10-31T05:52:00	46		
2012-10-31T06:52:00	44		
2012-10-31T07:52:00	48		
2012-10-31T08:52:00	52		
2012-10-31T09:52:00	57		
2012-10-31T10:52:00	61		
2012-10-31T11:52:00	65		
2012-10-31T12:52:00	67		
2012-10-31T13:52:00	68		
2012-10-31T14:52:00	71		
2012-10-31T15:52:00	71		
2012-10-31T16:52:00	70		
2012-10-31T17:52:00	66		
2012-10-31T18:52:00	62		
2012-10-31T19:52:00	59		
2012-10-31T20:52:00	54		
2012-10-31T21:52:00	51		
2012-10-31T22:52:00	52		
2012-10-31T23:52:00	52		
2012-11-01T00:52:00	53		

- 4. Using the data on the "Clean and Filter" sheet, type **Month** in column C1, type the formula "=mid(A2,6,2)" in cell C2, and copy that formula in column C to the last row of the data set. Then Filter month to only show months 1, 2, 12 (January, February, and December).
- 5. You can then filter by HourlyDryBulbTemperature (Column B) to find and address bad data as appropriate. Now Select, Copy, and Paste the remaining data to a new sheet named ECWT.

	A		В	С	D
1	DATE	•	HourlyDryBulbTemperatur 💌	Month 🖵	
747	2012-12-01T00:52:0	0	58	12	
748	2012-12-01T01:52:0	0	58	12	
749	2012-12-01T02:52:0	0	59	12	
750	2012-12-01T03:52:0	0	59	12	
751	2012-12-01T04:52:0	0	58	12	
752	2012-12-01T05:52:0	0	59	12	
753	2012-12-01T06:52:0	0	58	12	
754	2012-12-01T07:52:0	0	60	12	
755	2012-12-01T08:52:0	0	61	12	
756	2012-12-01T09:52:0	0	63	12	
757	2012-12-01T10:52:0	0	66	12	
758	2012-12-01T11:52:0	0	71	12	
759	2012-12-01T12:52:0	0	74	12	
760	2012-12-01T13:52:0	0	75	12	
761	2012-12-01T14:52:0	0	77	12	
762	2012-12-01T15:52:0	0	76	12	
763	2012-12-01T16:52:0	0	73	12	
764	2012-12-01T17:52:0	0	67	12	
765	2012-12-01T18:52:0	0	64	12	
766	2012-12-01T19:52:0	0	63	12	
767	2012-12-01T20:52:0	0	58	12	
768	2012-12-01T21:52:0	0	61	12	
769	2012-12-01T22:52:0	0	52	12	
770	2012-12-01T23:52:0	0	50	12	
771	2012-12-02T00:52:0	0	48	12	
772	2012-12-02T01:52:0	0	46	12	
773	2012-12-02T02:52:0	0	45	12	
774	2012-12-02T03:52:0	0	43	12	
775	2012-12-02T04:52:0	0	44	12	
776	2012-12-02T05:52:0	0	43	12	

6. Using Excel's built in Percentile function, the Extreme Cold Weather Temperature (ECWT) can now be determined. While on the ECWT sheet, in a blank cell use the function "=PERCENTILE.INC()" and select all temperature data in Column B (HourlyDryBulbTemperature) on the "ECWT" sheet and use 0.002 for the percentile value. The formula will look similar to this, "=PERCENTILE.INC(B:B,0.002)" (using 0.002 for the second argument in this function returns the two-tenths percentile temperature of the hourly temperatures measured in the dataset used).

This value should be representative of the Extreme Cold Weather Temperature based on the given dataset.

E	5	>	✓ f <sub>sc</sub> =PERCENTILE.INC(B:B,0.002)							
	А			В	С	D	E	F	G	
1	DATE		HourlyDryBulk	Temperature	Month					-
2	2012-12-01T00:52	2:00		58	12					
3	2012-12-01T01:52	2:00		58	12					
4	2012-12-01T02:52	2:00		59	12		ECWT			
5	2012-12-01T03:52	2:00		59	12		2			
6	2012-12-01T04:52	2:00		58	12					
7	2012-12-01T05:52	2:00		59	12					
8	2012-12-01T06:52	2:00		58	12					
9	2012-12-01T07:52	2:00		60	12					
10	2012-12-01T08:52	2:00		61	12					
11	2012-12-01T09:52	2:00		63	12					
12	2012-12-01T10:52	2:00		66	12					
13	2012-12-01T11:52	2:00		71	12					
14	2012-12-01T12:52	2:00		74	12					
15	2012-12-01T13:52	2:00		75	12					
16	2012-12-01T14:52	2:00		77	12					
17	2012-12-01T15:52	2:00		76	12					
18	2012-12-01T16:52	2:00		73	12					
19	2012-12-01T17:52	2:00		67	12					
20	0010 10 01T10.E	2.00		<b>C</b> /	10					

#### Option 2

These next few steps demonstrate how to view the distribution of temperatures from the data set and obtain the Extreme Cold Weather Temperature by a slightly different method.

1. On the "Clean and Filter" sheet, insert two new columns between column A and column B. Select column A and use Excel's *Text to Columns* feature and selected the delimited option and use the letter "T" to split the date data into a date component and a time component by hitting "Next" and "Finish".

	А	В	С	D	E	F	G
1	DATE 🔻	Time 💽	·	HourlyDryBulbTemperatur 💌			
2	2012-10-31T00:52:00			52			
3	2012-10-31T01:52:00			51			
4	2012-10-31T02:52:00			50			
5	2012-10-31T03:52:00			47			
6	2012-10-31T04:52:00	ConstT	the Column Winned Ch		2	~	1
7	2012-10-31T05:52:00	Convert le	xt to Columns wizard - St	ep 2 of 3	ſ	^	
8	2012-10-31T06:52:00	This screen	lets you set the delimiters	your data contains. You can see hov	v your text is	affected	
9	2012-10-31T07:52:00	in the previ	ew below.				
10	2012-10-31T08:52:00	Delimiters					
11	2012-10-31T09:52:00	<u> </u>					
12	2012-10-31T10:52:00	Se <u>m</u> ic	olon Treat conse	cutive delimiters as one			
13	2012-10-31T11:52:00	<u>C</u> omm	a Text gualifier:	- ~			
14	2012-10-31T12:52:00	<u>Space</u>					
15	2012-10-31T13:52:00	<u> </u>	T				
16	2012-10-31T14:52:00						
17	2012-10-31T15:52:00	Data <u>p</u> revi	ew				
18	2012-10-31T16:52:00						
19	2012-10-31T17:52:00						
20	2012-10-31T18:52:00	2012-10	-31 00:52:00			^	
21	2012-10-31T19:52:00	2012-10	-31 02:52:00				
22	2012-10-31T20:52:00	2012-10	-31 03:52:00				
23	2012-10-31T21:52:00	2012-10	-31 04:52:00			×	
24	2012-10-31T22:52:00						
25	2012-10-31T23:52:00		C	ancel < Back Next	> F	inish	
26	2012-11-01T00:52:00				·······		
27	2012-11-01T01:52:00			52			
28	2012-11-01T02:52:00			49			
29	2012-11-01T03:52:00			50			
30	2012-11-01T04:52:00			49			
31	2012-11-01T05:52:00			48			

2. Add in column C, add the date in column A to time in column B, and copy this formula for all rows of the data set.

C	2 - :	$\times \checkmark$	f <sub>x</sub>	=A2+	+B2		
	А		В		С	D	
1	DATE	▼ Time			Date/Time	HourlyDryBulbTemperatur	
2	10/31/20	)12	C	:52:00	10/31/2012 0:5	2 52	
3	10/31/20	)12	1	:52:00	10/31/2012 1:5	2 51	
4	10/31/20	)12	2	:52:00	10/31/2012 2:5	2 50	
5	10/31/20	)12	3	:52:00	10/31/2012 3:5	2 47	
6	10/31/20	)12	4	:52:00	10/31/2012 4:5	2 46	
7	10/31/20	)12	5	:52:00	10/31/2012 5:5	2 46	
8	10/31/20	)12	6	52:00	10/31/2012 6:5	2 44	
9	10/31/20	)12	7	:52:00	10/31/2012 7:5	2 48	
10	10/31/20	)12	8	3:52:00	10/31/2012 8:5	2 52	
11	10/31/20	)12	9	:52:00	10/31/2012 9:5	2 57	
12	10/31/20	)12	10	:52:00	10/31/2012 10:5	2 61	
13	10/31/20	)12	11	:52:00	10/31/2012 11:5	2 65	
14	10/31/20	)12	12	:52:00	10/31/2012 12:5	2 67	
15	10/31/20	)12	13	:52:00	10/31/2012 13:5	2 68	
16	10/31/20	)12	14	:52:00	10/31/2012 14:5	2 71	
17	10/31/20	)12	15	:52:00	10/31/2012 15:5	2 71	
18	10/31/20	)12	16	52:00	10/31/2012 16:5	2 70	
19	10/31/20	)12	17	:52:00	10/31/2012 17:5	2 66	
20	10/31/20	)12	18	3:52:00	10/31/2012 18:5	2 62	
21	10/31/20	)12	19	:52:00	10/31/2012 19:5	2 59	
22	10/31/20	)12	20	:52:00	10/31/2012 20:5	2 54	
23	10/31/20	)12	21	:52:00	10/31/2012 21:5	2 51	

**3.** Type Month in cell E1, and in cell E2 use the formula "=month(C2)". Copy the formula for all rows of the data set, then filter based on month, only selecting 1,2,12 for the desired months. Then copy remaining data from column C and column D to a sheet named Histogram.

E7	47 -	$\times \checkmark f_x = MC$	ONTH(C747)					
	А	В	С	D	E	F	G	
1	DATE	r Time 🔹	Date/Time	HourlyDryBulbTemperatur 💌	month 耳			
747	12/1/201	2 0:52:00	12/1/2012 0:52	58	12			
748	12/1/201	2 1:52:00	12/1/2012 1:52	58	12			
749	12/1/201	2 2:52:00	12/1/2012 2:52	59	12			
750	12/1/201	2 3:52:00	12/1/2012 3:52	59	12			
751	12/1/201	2 4:52:00	12/1/2012 4:52	58	12			
752	12/1/201	2 5:52:00	12/1/2012 5:52	59	12			
753	12/1/201	2 6:52:00	12/1/2012 6:52	58	12			
754	12/1/201	2 7:52:00	12/1/2012 7:52	60	12			
755	12/1/201	2 8:52:00	12/1/2012 8:52	61	12			
756	12/1/201	2 9:52:00	12/1/2012 9:52	63	12			
757	12/1/201	2 10:52:00	12/1/2012 10:52	66	12			
758	12/1/201	2 11:52:00	12/1/2012 11:52	71	12			
759	12/1/201	2 12:52:00	12/1/2012 12:52	74	12			
760	12/1/201	2 13:52:00	12/1/2012 13:52	75	12			
761	12/1/201	2 14:52:00	12/1/2012 14:52	77	12			
762	12/1/201	2 15:52:00	12/1/2012 15:52	76	12			
763	12/1/201	2 16:52:00	12/1/2012 16:52	73	12			
764	12/1/201	2 17:52:00	12/1/2012 17:52	67	12			
765	12/1/201	2 18:52:00	12/1/2012 18:52	64	12			

4. On the Histogram sheet, enter "=min(B:B)" in cell C1, and "=max(B:B)" in cell C2. This will give you the minimum and maximum temperatures in the dataset. We will use the temperatures to set range for this histogram. In Column D start with a value, a few degrees below the min, then list every degree to a few degrees above the max.

Date/Time	HourlyDryBulbTemperature	-11	-15	
12/1/2012 0:52	58	88	-14	
12/1/2012 1:52	58		-13	
12/1/2012 2:52	59		-12	
12/1/2012 3:52	59		-11	
12/1/2012 4:52	58		-10	
12/1/2012 5:52	59		-9	
12/1/2012 6:52	58		-8	
12/1/2012 7:52	60		-7	
12/1/2012 8:52	61		-6	
12/1/2012 9:52	63		-5	
12/1/2012 10:52	66		-4	
12/1/2012 11:52	71		-3	
12/1/2012 12:52	74		-2	
12/1/2012 13:52	75		-1	
12/1/2012 14:52	77		0	
12/1/2012 15:52	76		1	
12/1/2012 16:52	73		2	
12/1/2012 17:52	67		3	
12/1/2012 18:52	64		4	
12/1/2012 19:52	63		5	
12/1/2012 20:52	58		6	
12/1/2012 21:52	61		7	
12/1/2012 22:52	52		8	
12/1/2012 23:52	50		9	
12/2/2012 0:52	48		10	
12/2/2012 1:52	46		11	
12/2/2012 2:52	45		12	
12/2/2012 3:52	43		13	
12/2/2012 4:52	44		14	
12/2/2012 5:52	43		15	
12/2/2012 6:52	41		16	
12/2/2012 7:52	38		17	
12/2/2012 8:52	44		18	

5. In the Data Analysis ToolPak in excel, select histogram. Select all dry bulb temperatures for your Input Range. Select all the Temperatures in column D for our Bin Range. Select an empty cell for your Output Range. Check the Cumulative Percentage and Chart Output boxes.

Date/Time	HourlyDryBulbTemperature	-11	-15			
12/1/2012 0:52	58	88	3 -14			
12/1/2012 1:52	58		-13			
12/1/2012 2:52	59		-12			
12/1/2012 3:52	Histogram				2 1	
12/1/2012 4:52	Histogram					
12/1/2012 5:52	Input				OK	
12/1/2012 6:52	Input Range:	5	B\$2:\$B\$21595	Ţ	Cancel	
12/1/2012 7:52	<u>B</u> in Range:	\$	D\$1:\$D\$106	<u>↑</u>	Cancer	
12/1/2012 8:52	Labels				<u>H</u> elp	
12/1/2012 9:52						
12/1/2012 10:52	Output options	-				
12/1/2012 11:52	Output Range:	\$	G\$1	Î		
12/1/2012 12:52	O New Worksheet	t <u>P</u> ly:				
12/1/2012 13:52	O New <u>W</u> orkbook					
12/1/2012 14:52	Pareto (sorted h	istogram)				
12/1/2012 15:52	Cu <u>m</u> ulative Perc	entage				
12/1/2012 16:52	✓ Chart Output					
12/1/2012 17:52						
12/1/2012 18:52	64		4			
12/1/2012 19:52	63		5			
12/1/2012 20:52	58		6			
12/1/2012 21:52	61		7			
12/1/2012 22:52	52		8			
12/1/2012 23:52	50		9			
12/2/2012 0:52	48		10			
12/2/2012 1:52	46		11			
12/2/2012 2:52	45		12			
12/2/2012 3:52	43		13			
12/2/2012 4:52	44		14			
12/2/2012 5:52	43		15			
12/2/2012 6:52	41		16			

6. The output from this will provide a listing of percentile rankings for the listed temperatures, as well as a graph output of the distribution of temperatures contained in this dataset. The "Bin" column shows the temperature, "Frequency" shows how many times that temperature occurred within he dataset, and "Cumulative %" shows the percentile ranking for each temperature. Choose the temperature at or closest to the 0.2 percentile level.

